In the claims:

- 1. (Cancelled)
- 2. (Cancelled)
- 3. (Currently amended) A compound of the Formula II,

$$R^{2} \xrightarrow{R^{3}} R^{4}$$

$$R^{5}$$

$$N-N$$

$$R^{1}$$

$$II$$

wherein:

a is 0 or 1; b is 0 or 1; m is 0, 1, or 2; n is 0 to 2;

R1 is selected from:

- 1) $(C=O)C_1-C_{10}$ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C₂-C₁₀-alkenyl,
- 4) (C=O)C2-C10-alkynyl,
- 5) (C=O)C3-C8-cycloalkyl,
- 6) (C=O)heterocyclyl,
- 7) (C=O)OC1-C10 alkyl, and
- 8) $(C=O)NR^{7}R^{8}$,
- 9) SO₂NR⁷R⁸,
- 10) SO₂C₁-C₁₀ alkyl,
- 11) SO₂C₁-C₁₀-aryl,
- 12) SO₂C₁-C₁₀ heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, cycloalkyl, and heterocyclyl is optionally substituted with one or more substituents selected from R⁷; or

R² is selected from: phenyl;

- 2) aryl,
- 3) C2-C10-alkenyl,
- 4) -- C2-C10-alkynyl,
- 5) C1-C6 perfluoroalkyl,
- 6) C₁-C₆-aralkyl,
- 7) C3-C8-eyeloalkyl, and
- 8) heterocyclyl,

said <u>phenyl alkyl, aryl, alkenyl, alkynyl, cycloalkyl, aralkyl and heterocyclyl</u> is optionally substituted with one or more substituents selected from R^7 , <u>provided that the substituents are not a heterocyclyl (C=O)aObC1-C10 alkyl, (C=O)aObaryl, CO2H, halo, CN, Oa(C=O)bNR9R10 or CHO;</u>

R³ and R⁴ are hydrogen;

R5 is and R6 are independently selected from:

- 1) H,
- 2) C₁-C₁₀ alkyl,
- 3) aryl,
- 4) C2-C10-alkenyl,
- 5) C2-C10-alkynyl,
- 6) C1-C6 perfluoroalkyl, and
- 7)——C1-C6-aralkyl,
- 8) C3-C8 cycloalkyl, and
- 9) heterocyclyl,

said alkyl, aryl, alkenyl, alkynyl, eycloalkyl, and aralkyl and heterocyclyl is optionally substituted with one or more substituents selected from R⁷;

R6 is phenyl:

said phenyl is optionally substituted with one or more substituents selected from R⁷, provided that the substituents are not a heterocyclyl;

R⁷ is:

- 1) $(C=O)_aO_bC_1-C_{10}$ alkyl,
- 2) (C=O)aObaryl,
- 3) C2-C10-alkenyl,

- 4) C2-C10 alkynyl,
- 5) (C=O)aOb heterocyclyl,
- 6) CO₂H,
- 7) halo,
- 8) CN,
- 9) OH,
- 10) ObC1-C6 perfluoroalkyl,
- 11) $O_a(C=O)_bNR^9R^{10}$,
- 12) $S(O)_{m}R^{a}$
- 13) $S(O)_2NR^9R^{10}$
- 14) oxo,
- 15) CHO,
- 16) (N=O)R 9 R 10 , or
- 17) (C=O)aObC3-C8-cycloalkyl,

said alkyl, aryl, alkenyl, alkynyl, heterocyclyl, and cycloalkyl optionally substituted with one, two or three substituents selected from R⁸;

R⁸ is selected from:

- 1) $(C=O)_rO_s(C_1-C_{10})$ alkyl, wherein r and s are independently 0 or 1,
- 2) $O_r(C_1-C_3)$ perfluoroalkyl, wherein r is 0 or 1,
- 3) oxo,
- 4) OH,
- 5) halo,
- 6) CN,
- 7) (C2-C₁₀)alkenyl,
- 8) (C2-C₁₀)alkynyl,
- 9) $(C=O)_rO_s(C_3-C_6)$ cycloalkyl,
- 10) $(C=O)_rO_s(C_0-C_6)$ alkylene-aryl,
- 11) $(C=O)_rO_s(C_0-C_6)$ alkylene-heterocyclyl,
- 12) $(C=O)_rO_s(C_0-C_6)$ alkylene- $N(R^b)_2$,
- $C(O)R^a$,
- 14) (C₀-C₆)alkylene-CO₂R^a.
- 15) C(O)H,
- 16) (C₀-C₆)alkylene-CO₂H, and
- 17) $C(O)N(R^b)_2$,
- 18) $S(O)_mR^a$, and
- 19) $S(O)_2NR^9R^{10}$

said alkyl, alkenyl, alkynyl, cycloalkyl, aryl, and heterocyclyl is optionally substituted with up to three substituents selected from R^b , OH, (C_1-C_6) alkoxy, halogen, CO_2H , CN, $O(C=O)C_1-C_6$ alkyl, oxo, and $N(R^b)_2$;

R9 and R10 are independently selected from:

- 1) H,
- 2) $(C=O)O_bC_1-C_{10}$ alkyl,
- 3) (C=O)ObC3-C8 cycloalkyl,
- 4) (C=O)Obaryl,
- 5) (C=O)Obheterocyclyl,
- 6) C₁-C₁₀ alkyl,
- 7) aryl,
- 8) C2-C10 alkenyl,
- 9) C2-C₁₀ alkynyl,
- 10) heterocyclyl,
- 11) C3-C8 cycloalkyl,
- 12) SO₂Ra, and
- 13) $(C=O)NRb_2$,

said alkyl, cycloalkyl, aryl, heterocylyl, alkenyl, and alkynyl is optionally substituted with one, two or three substituents selected from R⁸, or

R9 and R10 can be taken together with the nitrogen to which they are attached to form a monocyclic or bicyclic heterocycle with 5-7 members in each ring and optionally containing, in addition to the nitrogen, one or two additional heteroatoms selected from N, O and S, said monocyclic or bicyclic heterocycle optionally substituted with one, two or three substituents selected from R8;

Ra is (C1-C6)alkyl, (C3-C6)cycloalkyl, aryl, or heterocyclyl; and

Rb is H, (C_1-C_6) alkyl, aryl, heterocyclyl, (C_3-C_6) cycloalkyl, $(C=O)OC_1-C_6$ alkyl, $(C=O)C_1-C_6$ alkyl or $S(O)_2R^a$.

4. (Currently amended) The compound according to Claim 3 or a pharmaceutically acceptable salt or stereoisomer thereof, wherein:

R1 is selected from:

- 1) $(C=O)C_1-C_{10}$ alkyl,
- 2) (C=O)aryl,
- 3) (C=O)C3-C8-cycloalkyl,
- 4) (C=O)heterocyclyl, and
- 5) (C=O)OC1-C10 alkyl,
- 6) SO₂NR⁷R⁸, and
- 7) SO₂C₁-C₁₀-alkyl,

said alkyl, aryl, cycloalkyl, and heterocyclyl is optionally substituted with one, two or three substituents selected from R⁷;

R² is phenyl selected from:

- 1) --- C₁-C₁₀ alkyl,
- 2) aryl, and
- 3) heteroaryl,

said <u>phenyl</u> <u>alkyl</u>, <u>aryl and heteroaryl</u> is optionally substituted with one or more substituents selected from R^7 , <u>provided that the substituents are not a heterocyclyl</u> (C=O)_aO_bC₁- C₁₀ alkyl, (C=O)_aO_baryl, CO₂H, halo, CN, O_a(C=O)_bNR⁹R¹⁰ or CHO;

R³ and R⁴ are <u>hydrogen;</u> independently selected from:

- 1) H, and
- 2) --- C1-C10-alkyl,

said alkyl is optionally substituted with one or more substituents selected from R7; and

R⁵ and R⁶ are independently is selected from:

- 1) H, <u>and</u>
- 2) C₁-C₁₀ alkyl,
- 3) aryl, and
- 4) heterocyclyl,

said alkyl, aryl and heterocyclyl is optionally substituted with one or more substituents selected from R⁷;

R6 is phenyl:

said phenyl is optionally substituted with one or more substituents selected from R⁷, provided that the substituents are not a heterocyclyl;

and R7, R8, R9, R10, Ra and Rb are as described in Claim 2 3.

5. (Cancelled).

carboxamide

6. (Currently amended) A compound selected from: 3-[1-acetyl-3-(2-chlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[3-(2-chlorophenyl)-1-isobutyryl-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-acetyl-3-(2-chlorophenyl)-5-methyl-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-acetyl-3-(2,5-difluorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(2-fluorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(3-bromophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(2,3-dichlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Acetyl-3-(2,5-dichlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Propionyl-3-(2-chlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-[1-Isobutyryl-3-(2-chlorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 1-Acetyl-3-(2-chlorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 1-Acetyl-3-(3-chlorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 1-Acetyl-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 1-Acetyl-3 (4-fluoro 3-hydroxyphenyl) 5-phenyl-4,5-dihydro-1H-pyrazole 1-{[3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]carbonyl} piperazine 3-(2,5-difluorophenyl)- N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2,5-difluorophenyl)-5-(3-hydroxyphenyl)-N,N-dimethyl-4,5-dihydro-1H-pyrazole-1-

4-{[3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]carbonyl}morpholine 3-[3-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 3-(2,5-difluorophenyl)- N,N-diethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2.5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2,5-difluorophenyl)-5-phenyl-1-(pyrrolidin-1-ylcarbonyl)-4,5-dihydro-1H-pyrazole 3-[3-(2-fluoro-5-methylphenyl)-1 (pyrrolidin-1-ylcarbonyl) 4,5-dihydro-1H-pyrazol-5-yllphenol 1-(azetidin-1-ylcarbonyl)-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazole 3-[1-(azetidin-1-ylcarbonyl)-3-(5-chloro-2-fluorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol 1-(1-[[3-(5-chloro-2-fluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]carbonyl) piperidin 2yl)-N,N dimethylmethanamine 3-(2.5-difluorophenyl)-1.5-dimethyl-5-phenyl-4.5-dihydro-1H-pyrazole 1-acetyl-3-(2,5-difluorophenyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazole 3-(2.5-difluorophenyl)-N,5-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2,5-difluorophenyl)-N,N,5-trimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2,5-difluorophenyl)-5-ethyl-N-methyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide 3-(2,5-difluorophenyl)-5-(hydroxymethyl)-N-methyl-5-phenyl-4,5-dihydro-1H-pyrazole-1carboxamide

3-(2,5-difluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazole

3-(2,5-difluorophenyl)-5-methyl-5-phenyl-1-(pyrrolidin-1-ylcarbonyl)-4,5-dihydro-1H-pyrazole

ethyl [3-(2,5-difluorophenyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]acetate ethyl [3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]acetate

3-(2.5-difluorophenyl)-1,5-dimethyl-5-(3-hydroxyphenyl)-4,5-dihydro-1H-pyrazole

- ethyl 2-[3-(2,5-difluorophenyl)-5-methyl-5-phenyl-4,5-dihydro-1H-pyrazol-1-yl]propanoate
- 3-[3-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- 3-(2,5-difluorophenyl)-1-(methylsulfonyl)-5-phenyl-4,5-dihydro-1H-pyrazole
- 3-(2,5-difluorophenyl)-5-[3-(dimethylamino)propyl]-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-N-ethyl-5-{3-[(1H-imidazol-2-ylcarbonyl)amino]propyl}-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-(2-aminoethyl)-3-(2,5-difluorophenyl)-N-methyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-(3-aminopropyl)-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-(3-aminobutyl)-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 5-[3-(benzoylamino)propyl]-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-5-[4-(dimethylamino)butyl]-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-5-[4-(dimethylnitroryl)but-1-yl]-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide

- 5-[4-(benzylamino)butyl]-3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-(2,5-difluorophenyl)-N-ethyl-5-phenyl-5-{4-[(pyridin-4-ylmethyl)amino]butyl}-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-[1-(azetidin-1-ylcarbonyl)-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yllpropan-1-ol
- 3-[1-(azetidin-1-ylcarbonyl)-3-(2,5-difluorophenyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yllpropan-1-amine
- 3-[3-(5-chloro-2-fluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-ol
- 3-[3-(5-chloro-2-fluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- 3-[3-(5-chloro-2-fluorophenyl)-1-(morpholin-4-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine
- N-{3-[3-(2,5-difluorophenyl)-1-(morpholin-4-ylcarbonyl)-5-phenyl-4,5-dihydro-1H-pyrazol-5-yl]propyl}guanidine
- 5-(3-amino-3-phenylpropyl)-3-(2,5-difluorophenyl)-N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide
- 3-[3-(2,5-difluorophenyl) 5-phenyl-1 (pyrrolidin-1-ylcarbonyl) 4,5-dihydro-1H-pyrazol-5-yl]-1-methylpropylamine
- 3-[3-(2,5-difluorophenyl)-5-phenyl-1-(pyrrolidin-1-ylearbonyl)-4,5-dihydro-1H-pyrazol-5-yl]-1-(trifluoromethyl)propylamine
- 1-acetyl-3-(2,5-difluorophenyl)-4-methyl-5-phenyl-4,5-dihydro-1H-pyrazole
- or a pharmaceutically acceptable salt or stereoisomer thereof.

7. (Cancelled)

8. (Currently amended) The compound according to Claim <u>3.6</u> which is selected from:

3-[1-acetyl-3-(2,5-difluorophenyl)-4,5-dihydro-1H-pyrazol-5-yl]phenol

5-(3-amino-3-phenylpropyl)-3-(2,5-difluorophenyl)-N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide

3-(2,5-difluorophenyl)-5-(3-hydroxy-3-phenylpropyl)-N,N-dimethyl-5-phenyl-4,5-dihydro-1H-pyrazole-1-carboxamide

3 [3-(5-chloro-2-fluorophenyl)-1-(2,5-dihydro-1H-pyrrol-1-ylcarbonyl)-5 phenyl-4,5-dihydro-1H-pyrazol-5-yl]propan-1-amine

or a pharmaceutically acceptable salt or stereoisomer thereof.

9. (Currently amended) A compound selected from:

Serial No. 10/506,702 Case No. 21047YP Page 13

$$R^2$$
 R^5
 R^6
 R^1

R^2	R^5	R^6	R ^{1'}
2,5-dichlorophenyl	Н	Ph	NMe ₂
2-fluoro-5-cyanophenyl	Н	Ph	NMe_2
2-fluoro-5-bromophenyl	Н	Ph	NMe_2
2-fluoro-5-hydroxymethylphenyl	H	Ph	$\overline{NMe_2}$
2-fluoro-5-chlorophenyl	Н	Ph	NMe ₂
2-fluoro-5-nitrophenyl	Н	Ph	NMe ₂
4-pyridyl	H	Ph	NMe_2
3-pyridyl	Ħ	Ph	NMe_2
2-pyridyl	Ħ	Ph	NMe ₂
isopropyl	Ħ	Ph	$\frac{NMe_2}{PMe_2}$
tert-butyl	Ħ	Ph	NMe ₂
cyclopropyl	H	Ph	NMe ₂
isobutyl	Ħ	Ph	NMe ₂
1-imidazolyl	Ħ	Ph	NMe ₂
2-imidazolyl	Ħ	Ph	NMe ₂
2-thiazolyl	H	Ph	NMe_2

$$R^2$$
 N
 N
 R^0
 R^1

R^2	R^5	R^6	R1'
2-oxazolyl	H	Ph	NMe ₂
3 isoxazolyl	Ħ	Ph	NMe ₂
2-furanyl	Ħ	Ph	NMe ₂
3-furanyl	H	Ph	NMe ₂
2,5-difluorophenyl	Н	3-hydroxyphenyl	NMe_2
2,5-difluorophenyl	Н	4-hydroxyphenyl	NMe ₂
2,5-difluorophenyl	Н	3-aminophenyl	NMe ₂
2,5-difluorophenyl	Н	3-(acetylamino)phenyl	NMe ₂
2,5-difluorophenyl	Н	3-carboxyphenyl	NMe ₂
2,5-difluorophenyl	Ħ	3-tetrazolylphenyl	NMe_2
2,5-difluorophenyl	H	4-pyridyl	NMe ₂
2,5-difluorophenyl	H	3-yridyl	NMe ₂
2,5 difluorophenyl	Ħ	2-pryimidinyl	NMe ₂
2,5-difluorophenyl	Ħ	6 indolyl	NMe ₂
2,5-difluorophenyl	Ħ	6-benzimidazolyl	NMe ₂
2,5-difluorophenyl	H	1-imidazolyl	NMe ₂

$$R^2$$
 R^5
 R^6
 R^1

	· R ^{1'}			
\mathbb{R}^2	\mathbb{R}^5	\mathbb{R}^6	$R^{1'}$	
2,5-difluorophenyl	H	2-imidazolyl	NMe ₂	
2,5-difluorophenyl	- H	2-thiazolyl	NMe ₂	
2,5-difluorophenyl		2-oxazolyl	NMe ₂	
2,5-difluorophenyl	Н	3-isoxazolyl	-NMe ₂	
2,5-difluorophenyl	—- H	2-furanyl	NMe ₂	
2,5-difluorophenyl	Н	3-furanyl	NMe ₂	
2,5-difluorophenyl	Н	Ph	NH_2	
2,5-difluorophenyl	Н	Ph	NH ₂	
2,5-difluorophenyl	Н	Ph	NH ₂	
2,5-difluorophenyl	Н	Ph	₹—NH ₂	
2,5-difluorophenyl	H	Ph	HN	

$$R^2$$
 R^5
 R^6
 R^1

R¹¹				
R ²	R ⁵	\mathbb{R}^6	R1'	
2,5-difluorophenyl	Н	Ph	Me E-N	
2,5-difluorophenyl	Н	Ph	Me {-N NH	
2,5-difluorophenyl	Н	Ph	∮−N N	
-2,5-difluorophenyl	— Н	Ph	Me ₹-N -N F	
-2,5-difluorophenyl	H	Ph	Me F N N NH ₂ HN	

$$R^2$$
 R^5
 R^6
 R^1

R^T			
\mathbb{R}^2	\mathbb{R}^5	\mathbb{R}^6	R ¹
2,5-difluorophenyl	Н	Ph	₹-N
2,5-difluorophenyl	Н	Ph	₹-N
2,5-difluorophenyl	Н	Ph	Me N N
-2,5-difluorophenyl	— Н	Ph	Me ξ−N -N-O
2,5-difluorophenyl	Н	Ph	Me -N

	R1' 0		
\mathbb{R}^2	R ^{sub}	\mathbb{R}^6	R ^{1'}
2,5-difluorophenyl	NH ₂	Ph	% Me ₹-N
2,5-difluorophenyl	NH ₂	Ph	Me ₹-N NH
2,5-difluorophenyl	NH ₂	Ph	%—N Me N
-2,5-difluorophenyl	—NH ₂ —	Ph	Me N N F
-2,5-difluorophenyl	—NH ₂	Ph	Me F N N N NH ₂

·	R ² N. N. R ⁶	R ^{sub}	
	R¹' [™] O		
R ²	R ^{sub}	R ⁶	R ¹ '
2,5-difluorophenyl	NH ₂	Ph	%-N
2,5-difluorophenyl	NH ₂	Ph	§−N ,
2,5-difluorophenyl	NH ₂	Ph	Me Me
- 2,5-difluorophenyl	NH ₂	— Ph—	₹-N-O-
2,5-difluorophenyl	NH ₂	Ph	Me N N

	R^2 N R^4	R ^{sub}	
\mathbb{R}^2	$R^{1'}$ O R^{sub}	${f R}^6$	$R^{1'}$
2,5-difluorophenyl	NH ₂	Ph	₹— NH ₂
2,5-difluorophenyl	NH ₂	Ph	₹— NH ₂
2,5-difluorophenyl	NH ₂	—Ph	NH ₂
2,5-difluorophenyl	NH ₂	Ph	₹—NH ₂
2,5-difluorophenyl	NH ₂	—Ph	HN O

R ² N. N. R R ^{1'} O	R ^{sub}
R ^{sub}	\mathbf{R}^{6}

	1.	O	
R ²	R ^{sub}	\mathbf{R}^{6}	R ¹ '
2,5-difluorophenyl	NH ₂	3-hydroxyphenyl	NMe ₂
2,5-difluorophenyl	NH ₂	4-hydroxyphenyl	NMe ₂
2,5-difluorophenyl	NH ₂	3-aminophenyl	NMe ₂
2,5-difluorophenyl	NH ₂	3-(acetylamino)phenyl	NMe ₂
2,5-difluorophenyl	NH ₂	3-carboxyphenyl	NMe ₂
2,5-difluorophenyl	NH ₂	3-tetrazolylphenyl	NMe ₂
2,5-difluorophenyl	NH ₂	4-pyridyl	NMe ₂
-2,5-difluorophenyl	NH ₂	3-pyridyl	NMe ₂
2,5-difluorophenyl	NH ₂	2-pyridyl	NMe ₂
2,5-difluorophenyl	NH ₂	2-pyrimidinyl	-NMe ₂ -

$$R^2$$
 N
 R^6
 $R^{1'}$
 O
 R^{sub}
 R^6
 R^1'

2,5-difluorophenyl $\frac{-NH_2}{}$ 6-indolyl NMe₂ 2,5-difluorophenyl NH₂ 4-indolyl NMe₂ 2,5-difluorophenyl NH₂ NMe₂ 6-benzimidazolyl 2,5-difluorophenyl NH₂ 1- imidazolyl NMe₂ 2,5-difluorophenyl NH₂ 2-imidazolyl NMe₂ 2- thiazolyl -NMe₂-2,5-difluorophenyl $-NH_2$ NMe₂ 2,5-difluorophenyl NH₂ 2-oxazolyl 2,5-difluorophenyl NH₂ 3-isoxazolyl -NMe₂-2,5-difluorophenyl NH₂ 2-furanyl NMe₂ -2,5 difluorophenyl NH₂ 3-furanyl NMe₂

 \mathbb{R}^2

$$R^2$$
 N
 R^6
 R^{sub}
 R^1
 O

R ²	R ^{sub}	R ⁶	R ^{1'}
. 2,5-dichlorophenyl	NH ₂	Ph	NMe ₂
2-fluoro-5-cyanophenyl	NH ₂	Ph	NMe ₂
2-fluoro-5-bromophenyl	NH ₂	Ph	NMe ₂
2 fluoro 5 hydroxymethylphenyl	NH ₂	—Ph	NMe ₂
2-fluoro-5-chlorophenyl	NH ₂	Ph	NMe ₂
2-fluoro-5-nitrophenyl	NH ₂	Ph	NMe ₂
4-pyridyl	NH ₂	Ph	NMe ₂
- 3-pyridyl	NH ₂	Ph	NMe ₂
- 2-pyridyl	NH ₂	Ph	NMe ₂

	R^2 N R^6	∕ R ^{sub}	
	R¹¹ [™] O		
R ²	R ^{sub}	R ⁶	R1'
isopropyl	NH ₂	Ph	NMe ₂
-tert-butyl	NH ₂	Ph —	NMe ₂
-cyclopropyl	NH ₂	Ph	NMe ₂
—isobutyl———	NH ₂	Ph	NMe ₂
1- imidazolyl	NH ₂	Ph	NMe ₂
-2-imidazolyl-	NH ₂	Ph	NMe ₂
-2- thiazolyl	NH ₂	Ph	NMe ₂
-2-oxazolyl	NH ₂	Ph	NMe ₂
3-isoxazolyl	NH ₂	Ph	NMe ₂
2-furanyl	NH ₂	Ph	NMe ₂
-3-furanyl	NH ₂	Ph	NMe ₂

$$R^2$$
 N
 R^6
 $R^{\text{sub'}}$
 $R^{\text{sub'}}$
 $R^{\text{sub'}}$

R ²	R ^{sub'}	R ⁶	R ^{1'}
2,5-difluorophenyl	phenyl	Ph	NMe ₂
2,5-difluorophenyl	4-nitrophenyl	Ph—	_NMe ₂
2,5-difluorophenyl	4-trifluoromethylphenyl	Ph	NMe ₂
2,5-difluorophenyl	4-chlorophenyl	Ph	NMe ₂
2,5-difluorophenyl	CO ₂ Me	Ph	NMe ₂
2 ,5-difluorophenyl	4-pyridyl	-Ph-	NMe ₂
2,5-difluorophenyl	3-pyridyl	–Ph–	NMe ₂
2,5-difluorophenyl	2-pyridyl	Ph	NMe ₂
-2,5-difluorophenyl	2-imidazolyl	Ph	NMe ₂
2,5-difluorophenyl	CONH ₂	Ph	NMe ₂

\mathbb{R}^2	R ^{1'} O R ^{sub''}	R ⁶	R ¹ '
2,5-difluorophenyl	phenyl	Ph	NMe ₂
-2,5-difluorophenyl	4-nitrophenyl	-Ph	NMe ₂
2,5-difluorophenyl	4-trifluoromethylphenyl	Ph	NMe ₂
2,5-difluorophenyl	4-chlorophenyl	Ph	NMe ₂
2,5-difluorophenyl	CO ₂ Me	Ph	NMe ₂
-2,5-difluorophenyl	4-pyridyl	Ph	NMe ₂
-2,5-difluorophenyl	3-pyridyl	— Ph	NMe ₂
-2,5-difluorophenyl	2-pyridyl	Ph	NMe ₂ -
2,5-difluorophenyl	2-imidazolyl	—Ph	NMe ₂
2,5-difluorophenyl	4-cyanophenyl	Ph	NMe ₂

$$\begin{array}{c}
R^2 \\
N \\
N \\
R^6
\end{array}$$

R ²	W-R ⁵	R ⁶	R1'
2,5-difluorophenyl	-CH ₂ CF ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ OCH ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	_CH ₂ CH ₂ CH(CHF ₂)NH ₂	Ph	NMe ₂
-2,5 difluorophenyl		Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ OCF2CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH ₂ CF ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH ₂ CH ₂ CH(CHF ₂₎ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH(OH)CH ₂ CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ CH(OH)CH ₂ NH ₂	Ph	NMe ₂
2,5-difluorophenyl	-CH ₂ C(O)CH ₂ CH ₂ NH2	Ph	NMe ₂

or a pharmaceutically acceptable salt or stereoisomer thereof.

10. (Previously amended) A pharmaceutical composition that is comprised of a compound in accordance with Claim ± 3 and a pharmaceutically acceptable carrier.

11.-36. (Cancelled)